

Quick Take™ 3.0 User Documentation

**Copyright ©2004-2007
Toysoft Development Inc.
All Rights Reserved.**

www.toysoft.ca

Table of Contents

1.	Introduction.....	2
2.	System Requirement.....	2
2.1	Compatibility.....	2
3.	Installation.....	2
4.	Launching Quick Take™.....	3
4.1	Registering QuickTake.....	3
5.	User Interface.....	4
6.	Capturing Screen.....	5
6.1	Screen Capture.....	5
6.2	Taking a Picture with the Camera on the Treo®.....	5
7.	Disabling Quick Take.....	6
8.	User License.....	6
9.	Copyright.....	6
10.	Disclaimer.....	7
11.	Limitation of Liability.....	7
12.	Termination of License.....	7
13.	Technical Support.....	7
14.	Product Limitation.....	7

1. Introduction

Quick Take is PalmOS® system utility to capture the current screen. Quick Take saves the current screen resolution as a JPG or BMP file to the external card. Quick Take is activated one of the main hard keys or the power button.

For Treo® users you can use QuickTake to take pictures in different resolutions from 160 X 120 to 1280 X 1024. You can take the picture and use the Send method to send the picture via Bluetooth to other device or email the picture.

2. System Requirement

- PalmOS® 5.0 or higher.
- 150K of free memory
- External card such as SD/MMC®, Compact Flash® or Memory Stick®

2.1 Compatibility

- Any Palm® with PalmOS® 5.0 and higher
- Palm® Tungsten T/T2/T3/E/C, Zire 21/32//71/72, Handspring® Treo 600/650/680/700p/755/Centro, Sony® NX, NZ, UX, TG50 and all others with PalmOS® 5.0 and higher, Garmin® and Tapwave®

3. Installation

To install Quick Take double click on the file QuickTake.prc QuickSave.prc files and then press the HotSync® button on the cradle. The HotSync® manager will install the file QuickTake on to your Palm.


4. Launching Quick Take™



From your Launcher look for the icon **quickTake** and tap on it to launch it. If you cannot find the icon use the scroll bar and scroll down.

4.1 Registering QuickTake

After you had purchased QuickTake you will need to send us the serial number shown on the registration screen in QuickTake to support@toysoft.ca for your code. When you received your code you can then enter the code and tap on the Register button.



5. User Interface




Diagram 1: Quick Take main screen.

Control	Description
Enable	Must be selected to take screen shots outside of QuickTake
Disable	To disable QuickTake for deletion or upgrade
Activation Key:	Set the activation key to take screen shot. Hold the activation key down for 2 seconds until you see the “QuickTake Activate” message and then let go of the key.
<input type="checkbox"/> Delay Capture:	If you want to do take a picture in 5 seconds then check the Delay checkbox and then enter the number of seconds
<input checked="" type="checkbox"/> Play sound after capture	Check if you want to hear the camera sound after taking the picture
Graphic Format: ▼ JPG	Graphic format to save. Supported format are JPG and BMP
JPG Quality:	Set the JPG quality from 0 to 100. The better the quality the longer it takes to save and the bigger the file size.
Camera...	If you have a Treo® then you can use QuickTake to take pictures from the Camera.

6. Capturing Screen

6.1 Screen Capture

To capture a screen you must first Enable QuickTake and then press and hold the Activation key until you see the “QuickTake Active” message and then let go of the button.

6.2 Taking a Picture with the Camera on the Treo®

For Treo® users you can use QuickTake to take a picture.



Note: On the Treos with 1.3 mega pixel you can take up to 1280 x 1024. Others can only take up to 640 x 480.

7. Disabling Quick Take

To disable and uninstall Quick Take just tap on the **Disable** button. To delete Quick Take use the Delete menu in the Launcher.

8. User License

(a) Toysoft, Inc. Hereby grants you a non-exclusive license to use its accompanying software product ("Software") according to the following agreement:

(b) You may: Distribute the Software if your application is freeware.

(c) You may not: Distribute the Software if your application is shareware or commercial.

(c) You may not: permit other individuals to use the Software except under the terms listed above; modify, translate, reverse engineer, decompile, disassemble, or create derivative works based on the Software; copy the Software (except for back-up purposes); rent, lease or otherwise transfer rights to the Software; or remove any proprietary notices or labels on the Software.

Toysoft, Inc. reserves all rights not expressly granted to Licensee.

9. Copyright

Ownership rights and intellectual property rights in and to the Software shall remain in Toysoft, Inc. The Software is protected by the copyright laws of Canada and international copyright treaties. This License gives you no rights to such content.

10. Disclaimer

(a)DISCLAIMER OF WARRANTY. The Software is provided on an "AS IS" basis, without warranty of any kind, including without limitation the warranties of merchantability, fitness for a particular purpose and non-infringement.

(b)You and not Toysoft, Inc. assume the entire cost of any service and repair. In addition, mechanism implemented by the Software may have inherent procedural limitations, and you must determine that the Software sufficiently meets your requirements.

(c)This disclaimer of warranty constitutes an essential part of the agreement.

11. Limitation of Liability

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, TORT, CONTRACT, OR OTHERWISE, SHALL TOYSOFT, INC. OR ITS SUPPLIERS OR RESELLERS BE LIABLE TO YOU OR ANY OTHER PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES.

12. Termination of License

This license will terminate automatically if you fail to comply with the limitations described above. On termination, you must destroy all copies of the Software

13. Technical Support

For technical support please send email to support@toysoft.ca or visit our website at www.toysoft.ca

14. Product Limitation

If capturing 8bit 256 colors and saving to bmp format, the beginning and last two lines are missing.